

AFRRI TN67-5
DECEMBER 1967

AFRRI
TECHNICAL
NOTE

**NUCLEAR REACTOR PULSE ANALYSIS,
AN APPLICATION OF
A REAL-TIME COMPILER**

AFRRI TN67-5


ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland

Distribution of this document is unlimited.

This report has been approved for open publication by the Department of Defense

NUCLEAR REACTOR PULSE ANALYSIS,
AN APPLICATION OF A REAL-TIME COMPILER

J. J. GITELMAN
C. W. GARRETT



R. E. CARTER
Chairman
Physical Sciences Department



HUGH B. MITCHELL
Colonel, USAF, MC
Director

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland

Distribution of this document is unlimited

TABLE OF CONTENTS

	Page
Foreword (Nontechnical summary)	iii
Abstract.	v
I. Introduction	1
II. AFRRI Data Acquisition System (DAS)	2
III. Nuclear Reactor Pulse Analysis	2
IV. Reactor Pulse Analysis Hardware	5
V. Reactor Pulse Software Configuration	6
VI. Conclusions	10
References	11

LIST OF FIGURES

Figure 1. AFRRI data acquisition system	3
Figure 2. Digitized reactor power pulse	3
Figure 3. DAS hardware configuration during the operation of the RTF reactor system	6
Figure 4. RTF reactor software configuration	8

FOREWORD

(Nontechnical summary)

Computer programs used to process scientific data or solve scientific problems are almost always written in a problem-oriented compiler language such as FORTRAN or ALGOL. These languages are flexible, and greatly simplify the writing of routines for arithmetic and input/output operations, thus permitting a program to be made operational in a minimum of time. However, because of the nature of most software systems under which compiled programs are executed, the programmer does not have absolute control of the timing and core storage allocation which are made by the compiler.

Unfortunately, this control is necessary in on-line, real-time data acquisition under computer control, and thus programming for such operations is most often done using the much more laborious symbolic assembly language of the particular computer being used.

A Real-Time FORTRAN (RTF) Compiler combines the flexibility and simplicity of a compiler language with timing and storage allocation control capability, and thus enables the implementation of data acquisition-system operations with less effort and in less time than that required if only an assembly language is used.

With the hope that an illustration of a real-time compiler application will stimulate the development and use of real-time compilers, this report describes a hardware-software system used to collect and process data at the Armed Forces Radiobiology Research Institute. An RTF Compiler was used to program the system which acquires on-line data from a TRIGA reactor and computes the reactor period and

reactivity as a function of time. Our description notes how the RTF Compiler saved time and effort in implementing the data collection and processing system.

ABSTRACT

The use and advantages of a Real-Time FORTRAN (RTF) Compiler are illustrated by describing the collection and processing of data acquired from a TRIGA nuclear reactor on the Armed Forces Radiobiology Research Institute Data Acquisition System. The system computes the reactor period and reactivity as a function of time from data acquired on-line during a reactor pulse. The hardware components of the system, comprised of an SDS 920 digital computer and special-purpose interface equipment, are described, as is the software package which makes use of an RTF Compiler. The illustration shows how the flexibility and programming simplicity of a problem-oriented compiler language in a real-time environment enables the implementation of an on-line data acquisition system operation with less effort and in less time than that required when a standard symbolic assembly language is used.

I. INTRODUCTION

At the Armed Forces Radiobiology Research Institute (AFRRI) research programs frequently require high-speed data collection and processing. When a digital computer system accepts real-time, high-speed data, programs controlling the data collection by use of the computer-interrupt system must be written in either machine or symbolic language. Two alternatives are then available for the processing of these data. One can remain in execution and analyze the data immediately after collection using machine or symbolic language programs, or one can save and subsequently reload the data for analysis with programs written in a compiler language. Disadvantages exist in each alternative. Preparing analysis programs in machine or symbolic language is inefficient from both a man-hour and machine-hour standpoint during the program writing and debugging phase, but saving data, and reloading compiler-coded analysis programs is also inefficient during system operation. A Real-Time FORTRAN (RTF) Compiler overcomes these disadvantages by allowing data collection and computer-interrupt programming to be done in a compiler language, yet retaining the capability of uninterrupted execution of both sets of programs.

The Real-Time FORTRAN Compiler⁴ designed by Scientific Data Systems and Beckman Instruments for SDS 920/930 machine configurations is in use on the AFRRI Data Acquisition System (DAS). To illustrate the use and advantages of an RTF Compiler, a typical application currently in operation on the AFRRI DAS is described. This application involves the collection and analysis of data obtained during a nuclear-reactor pulse. It is hoped that this illustration will not only be of assistance to those faced with collecting similar data but will also serve to stimulate a greater utilization

of real-time compilers. These permit the use of problem oriented language programming which can be useful when one is faced with the task of collecting and subsequently processing high-speed data.

A brief description of the AFRRI DAS is given, followed by an outline of the nuclear-reactor pulse-analysis problem. A detailed explanation of the RTF hardware and software system developed to solve the problem is also presented.

II. AFRRI DATA ACQUISITION SYSTEM (DAS)²

The DAS (Figure 1) is controlled by an SDS 920 Central Processor (CP) which contains 8192 words of 24-bit memory, 48 priority-interrupt channels and one input/output communication channel. Input/output equipment presently consists of a paper tape punch, one 15 kc magnetic tape unit, a digital graph plotter, a paper tape reader and an on-line typewriter. An interface, consisting of various special purpose electronic equipment including an analog-to-digital converter, scalars, an oscilloscope, clocks and logic circuitry, is also connected to the CP. This interface, the components of which can be computer controlled, enables the computer to perform real-time experimental monitoring and control as well as data acquisition. In addition the DAS can be used in a standard data processing and computation mode.

III. NUCLEAR REACTOR PULSE ANALYSIS

A TRIGA Mark F nuclear reactor¹ is used by the AFRRI in its research program. This reactor can be operated at a steady-state power level and also in a pulse mode. The latter is used to provide a short burst of nuclear radiation of very high intensity. When the reactor is pulsed, the power pulse produced (Figure 2) has a width at half maximum in the 10- to 20-millisecond range. The amplitude

of the pulse (which may be controlled by the operator) can peak as high as 2000 megawatts from a very low initial power level.




Figure 1. AFRRI data acquisition system




Figure 2. Digitized reactor power pulse

An analysis of this power pulse wave form provides the reactor physicist with certain information necessary to study and control the dynamic behavior of the reactor system. The AFRRRI DAS is used to obtain the reactor period and reactivity as a function of time.³

A signal, whose voltage is proportional to the instantaneous power of the reactor, can be obtained with any of several types of radiation detection instruments placed in or near the reactor core. If this signal is sampled at short time intervals, $t_1, t_2, \dots, t_i, \dots$, the instantaneous reactor period P and reactivity R can be computed at time t_i by the relations

$$P(t_i) = \frac{\Delta t}{\ln V(t_i) - \ln V(t_{i-1})}$$

$$R(t_i) = \frac{C}{P(t_i)} + \sum_{j=1}^6 \frac{\alpha_j}{1 + T_j P(t_i)}$$

in which

$$V(t_i) = \text{magnitude of the voltage at time } t_i$$

$$V(t_{i-1}) = \text{magnitude of the voltage at time } t_{i-1}$$

$$\Delta t = t_i - t_{i-1}$$

and C , α_j and T_j ($j = 1, 2, \dots, 6$) are known constants peculiar to the reactor. The theory of reactor kinetics and the derivation of the relations pertinent to the present analyses may be found in Reference 5.

The system described below, comprised of the DAS hardware and the real-time FORTRAN software, is used to sample the reactor power signal and store the resulting digital values $V(t_i)$ and then, while still in execution, to compute the quantities $P(t_i)$ and $R(t_i)$.

IV. REACTOR PULSE ANALYSIS HARDWARE

Figure 3 shows the DAS hardware configuration during the operation of the RTF reactor pulse analysis system. The analog voltage signal from the reactor is fed into the analog-to-digital converter (ADC), whose digitization rate is controlled by a 2.5 kHz clock (clock #1). The ADC requires 100 μ sec to digitize the analog voltage (dynamic range, +10 V to -10 V) and store the digital value in a 14-bit register (13 bits plus sign). When conversion to a digital value in the ADC is complete, an electronic pulse called a complete pulse is generated in the ADC. This pulse is used to initiate a computer interrupt which activates a subroutine that transfers the data from the ADC to the computer memory. This is discussed more fully in the description of the software configuration.

The reactor pulse starts when the reactor pulse rod is physically ejected from the reactor core. A microswitch on the control rod senses when the rod begins to move (approximately 100 msec prior to the pulse) and sends a "start" signal which SETS an electronic switch interposed between clock #1 and the ADC. Digitization can occur only when this electronic switch is in the SET state; thus the reactor itself is used to initiate data acquisition. The electronic switch is RESET under computer program control.

A visual oscilloscope presentation of data stored in the computer memory is available and is controlled by the software. A slow clock (clock #2), generating pulses at a rate of 7.5 Hz, is used to time the oscilloscope display.




Figure 3. DAS hardware configuration during the operation of the RTF reactor system

V. REACTOR PULSE SOFTWARE CONFIGURATION

The Real-Time FORTRAN system⁴ is composed of a compiler, a loader, a run-time monitor and a program library. In addition to standard FORTRAN compilation, the system allows for the symbolic coding of subroutines which are required whenever

an optimum code must be generated to handle system interrupts or other crucial timing problems. The assembly of such subroutines is accomplished with the standard assemblers for the computer configuration used. In the present case, the SDS SYMBOL assembler was used. The RTF loader is utilized to integrate the symbolic routines into the system at run time.

The run-time monitor contains constants, flags, subroutine linkages and special routines, all used by the operating program at run time. It accomplishes system initialization and provides for the saving of recursive variables and items that are destroyed during interrupt processing. The library contains standard general purpose subroutines (mathematical functions, input/output, etc.).

A schematic of the reactor pulse software configuration is shown in Figure 4. Resident in core at run time is the RTF run-time monitor, the RTF subroutines and a reactor executive routine, written to operate in conjunction with the monitor to control operation of the reactor pulse analysis system. This executive routine accepts input parameters, outputs results, and interrogates computer break points. These are denoted as Type A programs and include the RTF system and those special purpose FORTRAN-coded routines that accomplish the reactor-pulse analysis. The routines that compute the period and reactivity are included in the RTF reactor-subroutine group, as are the output routines.

Also resident in core are two Type B routines written in symbolic language to handle the system interrupts that occur during execution. They include the high-priority Store-Data subroutine which controls the transfer of data from the ADC to memory, and the Scope-Display subroutine (lower priority) which controls the

oscilloscope. As shown in Figure 4, the Store-Data interrupt routine can interrupt both Type A programs and the Scope-Display interrupt routine, while the latter can only interrupt Type A programs.




Figure 4. RTF reactor software configuration

Before the reactor pulse is initiated, the system is under control of the reactor executive routine. The system rests in a wait loop, being interrupted by the scope display (discussed below) at a slow rate. When the start signal is generated at the reactor, indicating that a reactor pulse is about to occur, digitization is begun. Each time the ADC generates a complete-pulse interrupt, control is given to the Store-Data subroutine which stores the digitized values sequentially in the RTF Common area.

After 500 values have been digitized, the Store-Data routine resets the ADC electronic switch, terminating the digitization process, and then gives control back

to the run-time monitor and reactor executive for the analysis phase. The acquisition of the 500 data points takes 200 msec, with the reactor pulse occurring about midway in the interval.

During the data collection phase, timing is controlled by the 2.5 kHz clock and only 400 μ sec are available to the Store-Data subroutine between successive digitizations. Control is not given to the run-time monitor after each complete-pulse interrupt has been generated since the run-time monitor requires about 5000 μ sec to perform its initializations and accomplish the argument transfers between programs. Rather, the Store-Data routine performs its own housekeeping and, by using the RTF Common area for data storage, the reactor executive routine can have access to the data without the need for argument transfers through the run-time monitor.

After the data acquisition is complete, the analysis phase is entered. During this phase, the pulse data in the RTF Common area are displayed by the Scope-Display subroutine, activated 7-1/2 times per second by the interrupt pulses from clock #2. The oscilloscope screen retention is such that this rate is fast enough to give a continuous image of the data on the oscilloscope face. Execution of the Scope-Display subroutine requires 20 msec; thus about 850 msec in each second are available for the analysis programs.

The FORTRAN-coded analysis programs that compute the quantities $P(t_i)$ and $R(t_i)$ are straightforward computational programs with associated input/output routines. Provisions are made to interrogate the operator via the on-line typewriter and breakpoint switches for parametric information and option choices.

VI. CONCLUSIONS

High-speed data collection and processing using a real-time compiler are illustrated by a description of the AFRRI-reactor pulse analysis system. Where timing is critical (e.g., processing high rate computer interrupts), subroutines can be coded in symbolic language. For computations and input/output, the flexibility and programming simplicity of a problem-oriented language (in the present case, FORTRAN) are available. Through the use of the compiler Common area, easy and fast communication between subprograms in the system is assured. The latter also makes it feasible to design problem-oriented, efficient executive routines to control data handling when high-speed data rates preclude standard compiler monitor-system control.

At the AFRRI, the systems which provide real-time, on-line acquisition and processing of experimental data also permit the scientist to interact with the systems, have a continuous visual display of his data and be provided with results either during an experiment or, as in the reactor-pulse analysis system, seconds after its termination. The introduction of a Real-Time FORTRAN Compiler has allowed such efficient and flexible software packages to be developed with less effort and in less time than that previously required.

REFERENCES

1. Clifford, C. E., Nelkin, M. S., Stahl, R. H., and West, G. B. The DASA-TRIGA Mark F pulsing reactor facility. San Diego, California, General Dynamics, General Atomic Report GA-2119, 1961.
2. The NBS on-line system -- designed for flexibility. Nucleonics 22(12):57-62, 1964.
3. Schow, H., II. The positive period method of calibrating control rods of the AFRRI-TRIGA reactor using the AFRRI data acquisition system. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Technical Note TN66-3, 1966.
4. Scientific Data Systems. SDS 920/930 Real-Time FORTRAN II. Santa Monica, California, Scientific Data Systems Report SDS 90 10 48A, 1965.
5. Weinberg, A. M. and Wigner, E. P. The Physical Theory of Neutron Chain Reactors, pp. 568-609. Chicago, Illinois, University of Chicago Press, 1958.

DISTRIBUTION LIST

AIR FORCE

The Surgeon General, U. S. Department of the Air Force, Washington, D. C. 20333 (1)
Executive Officer, Director of Professional Services, Office of the Surgeon General, Hq. USAF (AFMSPA) T-8, Washington, D. C. 20333 (1)
Bioenvironmental Engineer, Hq. AFSC (SCBP), Andrews AFB, Washington, D. C. 20331 (1)
USAFSAM (SMBR), ATTN: Chief, Radiobiology Branch, Brooks AFB, Texas 78235 (1)
Chief, Weapons and Weapons Effects Division, Hq. RTD (RTTW), Bolling AFB, Washington, D. C. 20332 (1)
Air Force Weapons Laboratory, ATTN: WLIL (1), ATTN: WLRB-2 (1), Kirtland AFB, New Mexico 87117 (2)
Chief, Nuclear Medicine Department, P. O. Box 5088, USAF Hospital Wright-Patterson, Wright-Patterson AFB, Ohio 45433 (1)
Commander, 6571st Aeromedical Research Laboratory, Holloman AFB, New Mexico 88330 (2)

ARMY

The Surgeon General, U. S. Department of the Army, Washington, D. C. 20315 (1)
Surgeon General, ATTN: MEDDH-N, U. S. Department of the Army, Washington, D. C. 20315 (1)
Commandant, U. S. Army Chemical Center and School, ATTN: AJMCL-T, Fort McClellan, Alabama 36201 (1)
USACDC CSSG, Doctrine Division, Fort Lee, Virginia 23801 (1)
Commanding Officer, USACDC CBR Agency, Fort McClellan, Alabama 36201 (1)
CG, USCONARC, ATTN: ATUTR-TNG (NBC), Fort Monroe, Virginia 23351 (1)
Commanding General, U. S. Army Electronics Command, ATTN: AMSEL-RD-MAT, Fort Monmouth, New Jersey 07703 (1)
Office of the Chief of Engineers, ATTN: Chief, Library Branch, STINFO Division, U. S. Department of the Army, Washington, D. C. 20315 (1)
Commanding Officer, U. S. Army Engineer Research and Development Laboratories, ATTN: Technical Document Center, Fort Belvoir, Virginia 22060 (1)
Commanding Officer, Harry Diamond Laboratories, ATTN: Nuclear Vulnerability Branch, Washington, D. C. 20438 (1)
Nuclear Branch AMCRD-DN-RE, U. S. Army Materiel Command, Washington, D. C. 20315 (1)
Commanding Officer, U. S. Army Medical Research Laboratory, Fort Knox, Kentucky 40121 (1)
Commanding Officer, USA Nuclear Medical Research Detachment, Europe, APO New York, N. Y. 09180 (2)
Army Research Office, ATTN: Chief, Scientific Analysis Branch, Life Sciences Division, 3045 Columbia Pike, Arlington, Virginia 22204 (1)
Commanding General, U. S. Army Tank-Automotive Center, ATTN: SMOTA-RCSN, Warren, Michigan 48090 (1)
Commanding Officer, U. S. Army Nuclear Defense Laboratory, ATTN: Technical Library, Edgewood Arsenal, Maryland 21010 (1)
Division of Nuclear Medicine, Walter Reed Army Institute of Research, Walter Reed Army Medical Center, Washington, D. C. 20012 (5)
Commanding Officer, U. S. Army Environmental Hygiene Agency, ATTN: USAEHA-RP, Edgewood Arsenal, Maryland 21010 (1)
Commandant, U. S. Army Medical Field Service School, ATTN: MEDEW - ZNW, Fort Sam Houston, Texas 78234 (1)
W. Giesler, Harry Diamond Laboratories, Washington, D. C. 20438 (1)

NAVY

Chief, Bureau of Medicine and Surgery, U. S. Navy Department, Washington, D. C. 20390 (1)
Chief, Bureau of Medicine and Surgery, ATTN: Code 71, U. S. Navy Department, Washington, D. C. 20390 (1)
Commanding Officer and Director (Code L31), U. S. Naval Civil Engineering Laboratory, Port Hueneme, California 93041 (1)
Commanding Officer and Director (222A), U. S. Naval Radiological Defense Laboratory, San Francisco, California 94135 (2)
Head, Biological and Medical Sciences Division, U. S. Naval Radiological Defense Laboratory, San Francisco, California 94135, ATTN: Dr. E. L. Alpen (1)
Commanding Officer, Naval Aerospace Medical Institute, Naval Aviation Medical Center, ATTN: Director of Research, Pensacola, Florida 32512 (3)
Commanding Officer, U. S. Naval Weapons Evaluation Facility (Code WE), Kirtland Air Force Base, Albuquerque, New Mexico 87117 (1)
Commanding Officer, Nuclear Weapons Training Center, Atlantic, Nuclear Warfare Department, Norfolk, Virginia 23511 (1)

D.O.D.

Director, Defense Atomic Support Agency, Washington, D. C. 20305 (1)
Director, Defense Atomic Support Agency, ATTN: DDST, Washington, D. C. 20305 (1)
Director, Defense Atomic Support Agency, ATTN: Chief, Medical Directorate, Washington, D. C. 20305 (4)
Director, Defense Atomic Support Agency, ATTN: Chief, Radiation Directorate, Washington, D. C. 20305 (1)
Director, Defense Atomic Support Agency, ATTN: Technical Library, Washington, D. C. 20305 (1)
Chief, Livermore Division, FC DASA, Lawrence Radiation Laboratory, Livermore, California 94550 (1)
Commander, Headquarters Field Command, Defense Atomic Support Agency, ATTN: FCTG8, Sandia Base, Albuquerque, New Mexico 87115 (1)
Director, Armed Forces Institute of Pathology, Washington, D. C. 20305 (1)
Administrator, Defense Documentation Center, Cameron Station, Bldg. 5, Alexandria, Virginia 22314 (20)

OTHER GOVERNMENT

U. S. Atomic Energy Commission, Division of Technical Information, P. O. Box 62, Oak Ridge, Tennessee 37831 (10)
U. S. Atomic Energy Commission, Headquarters Library, Reports Section, Mail Station G-17, Washington, D. C. 20545 (1)
U. S. Atomic Energy Commission, Division of Biology and Medicine, Washington, D. C. 20545 (1)
U. S. Atomic Energy Commission, Division of Isotopes Development, ATTN: Mr. John C. Dempsey, Washington, D. C. 20545 (1)
U. S. Atomic Energy Commission, Bethesda Technical Library, 4915 St. Elmo Avenue, Bethesda, Maryland 20014 (1)
U. S. Department of Commerce, Environmental Science Services Administration, ATTN: Library, Boulder Laboratories, Boulder, Colorado 80302 (1)
National Bureau of Standards Library, ATTN: Sarah Ann Jones, Chief Librarian, Washington, D. C. 20234 (1)
National Bureau of Standards, ATTN: Chief, Radiation Physics Division, Washington, D. C. 20234 (5)
U. S. Public Health Service, Deputy Chief, Division of Radiological Health, Washington, D. C. 20201 (1)
U. S. Public Health Service, Radiological Health Laboratory, ATTN: Library, 1901 Chapman Avenue, Rockville, Maryland 20852 (1)
U. S. Public Health Service, Northeastern Radiological Health Laboratory, 109 Holton Street, Winchester, Massachusetts 01890 (1)
U. S. Public Health Service, Southwestern Radiological Health Laboratory, P. O. Box 684, Las Vegas, Nevada 89101 (1)
Dr. C. Muelhouse, Radiation Research Center, National Bureau of Standards, Washington, D. C. 20234 (1)

OTHER

Argonne National Laboratory, Library Services Department, Report Section Bldg. 203, RM-CE-125, 9700 South Cass Avenue, Argonne, Illinois 60440 (1)
Boeing Company Aerospace Library, ATTN: 8K-38 Ruth E. Peerenboom, P. O. Box 3999, Seattle, Washington, 98124 (2)
Brookhaven National Laboratory, Information Division, ATTN: Research Library, Upton, Long Island, New York 11973 (2)
S. C. Bushong, Department of Radiology, Baylor University College of Medicine, Houston, Texas 77024 (1)
Director, Radiobiology Laboratory, University of California, Davis, California 95616 (1)
University of California, Lawrence Radiation Laboratory, Technical Information Division Library L-3, P. O. Box 808, Livermore, California 94551 (2)
E. I. du Pont de Nemours & Company, Savannah River Laboratory, Technical Information Service 773-A, Aiken, South Carolina 29801 (1)
General Dynamics/Fort Worth, ATTN: Librarian, P. O. Box 748, Fort Worth, Texas 76101 (1)
Dr. Arnold Feldman, Consultant in Biophysics, Mayo Clinic, Rochester, Minnesota 55901 (1)
Hazelton Nuclear Science Corporation, ATTN: Library, 4062 Fabian Way, Palo Alto, California 94303 (1)
Holmes & Narver, Inc., Nuclear Division Library, 828 South Figueroa Street, Los Angeles, California 90017 (1)
IIT Research Institute, ATTN: Document Library, 10 West 35th Street, Chicago, Illinois 60616 (1)
Prof. Merrill Eisenbud, New York University, Tuxedo, New York 10987 (1)
Library, Laboratory of Nuclear Medicine and Radiation Biology, University of California, Los Angeles, 900 Veteran Avenue, Los Angeles, California 90024 (1)
Los Alamos Scientific Laboratory, ATTN: Report Librarian, P. O. Box 1663, Los Alamos, New Mexico 87544 (1)
Director, Nuclear Science Center, Louisiana State University, Baton Rouge, Louisiana 70803 (2)
Lovellace Foundation for Medical Education & Research, Document Library, 5200 Gibson Boulevard, S. E., Albuquerque, New Mexico 87108 (1)

OTHER (continued)

- Dr. J. I. Marcum, Rand Corporation, 1700 Main Street, Santa Monica, California 90401 (1)
- M. J. T. Libraries, Technical Reports, Room 14 E-210, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139 (1)
- Dr. Charles W. Mays, Physics Group Leader, Radiobiology Division, University of Utah, Salt Lake City, Utah 84112 (1)
- Dr. B. D. Newsom, Senior Staff Scientist, Life Sciences, Research, Development & Engineering, General Dynamics/Convair Division, P. O. Box 1128, San Diego, California 92112 (1)
- President, Nuclear Technology Corporation, 116 Main Street, White Plains, New York 10601 (1)
- Ohio State University, Nuclear Reactor Laboratory, 1298 Kinnear Road, Columbus, Ohio 43212 (1)
- Dr. Alan Orvis, Consultant in Biophysics, Mayo Clinic, Rochester, Minnesota 55901 (1)
- Nuclear Engineering Library, Purdue University, Lafayette, Indiana 47907 (1)
- Radiation Effects Information Center, Battelle Memorial Institute, 505 King Avenue, Columbus, Ohio 43201 (1)
- Dr. S. M. Reichard, Director, Division of Radiobiology, Medical College of Georgia, Augusta, Georgia 30902 (1)
- University of Rochester, Atomic Energy Project Library, P. O. Box 287, Station 3, Rochester, New York 14620 (1)
- Dr. H. H. Rossi, 630 West 168th Street, New York, N. Y. 10032 (1)
- Sandia Corporation Library, P. O. Box 5800, Albuquerque, New Mexico 87115 (1)
- Sandia Corporation, Livermore Laboratory, ATTN: Technical Library, P. O. Box 969, Livermore, California 94550 (1)
- Scope Publications, Franklin Station, P. O. Box 7407, Washington, D. C. 20004 (1)
- University of Southern California, Nuclear Physics Laboratory, University Park, Los Angeles, California 90007 (1)
- Radiation Biology Laboratory, Texas Engineering Experiment Station, Texas A. & M. University, College Station, Texas 77840 (2)
- Western Reserve University, Department of Radiology, Division of Radiation Biology, Cleveland, Ohio 44106 (1)
- Director, Electron Accelerator Laboratory, Yale University, New Haven, Connecticut 06520 (1)
- Texas Nuclear Corporation, ATTN: Director of Research, Box 9267 Allandale Station, Austin, Texas 78756 (1)
- Gulf General Atomic Incorporated, ATTN: Library, P. O. Box 608, San Diego, California 92112 (1)
- Gulf General Atomic Incorporated, ATTN: A. Graf, P. O. Box 608, San Diego, California 92112 (1)
- Professor M. E. Wyman, Nuclear Engineering Program, University of Illinois, Urbana, Illinois 61801 (1)
- Professor E. Jordan, Department of Nuclear Engineering, Catholic University, Washington, D. C. 20017 (1)
- Professor R. Duffey, Department of Nuclear Engineering, University of Maryland, College Park, Maryland 20740 (1)
- Cornell University, Department of Nuclear Engineering, Ithaca, New York 14850 (1)
- New York University, Department of Nuclear Engineering, New York, N. Y. 10019 (1)
- University of California, Department of Nuclear Engineering, Berkeley, California 94720 (1)
- Texas A & M College, Department of Nuclear Engineering, College Station, Texas 77843 (1)
- University of Arizona, Department of Nuclear Engineering, Tucson, Arizona 85721 (1)
- Pennsylvania State University, Department of Nuclear Engineering, University Park, Pennsylvania 16802 (1)
- Dr. R. L. Murray, Department of Nuclear Engineering, North Carolina State University, Raleigh, North Carolina 27607 (1)

FOREIGN

- Library, Atomic Energy of Canada Ltd., P. O. Box 905, Toronto 18, Ontario, Canada (1)
- Dr. G. W. Barendsen, Radiobiological Institute TNO, Rijswijk, Netherlands (1)
- European Atomic Energy Community, C.E.E.A., Library, 51 rue Belliard, Brussels 4, Belgium (1)
- International Atomic Energy Agency, Kaerntnerring 11, Vienna I. 1010, Austria (1)
- Dr. L. G. Lajtha, Paterson Laboratories, Christie Hospital and Holt Radium Inst., Manchester, England (1)
- Dr. L. F. Lamerton, Biophysics Department, Institute of Cancer Research, Surrey Branch, Belmont, Sutton, Surrey, England (1)
- Dr. Helmut Mitschrich, Academie des Sanitaets-und Gesundheits, Weseus BW, Spezialstab ATV, 8 Muenchen, Schwere-Reiterstr. 4, Germany (2)
- Puerto Rico Nuclear Center, ATTN: Reading Room, College Station, Mayaguez, Puerto Rico 00708 (2)
- University of Saskatchewan, ATTN: Director, Accelerator Laboratory, Saskatoon, Saskatchewan, Canada (1)
- Director, Science Abstracts, Institution of Electrical Engineers, Savoy Place, London WC2, England (1)
- Directorate of Medical and Health Services, FAF (Federal Armed Forces), Bonn, Ermekeilstr. 27, West Germany (1)
- Prof. Dr. H. Langendorff, Direktor des Radiologischen Instituts der Universitat, 78 Freiburg im Breisgau, Albertstrasse 23, Germany (1)
- Prof. Dr. F. Wachsmann, Gesellschaft fur Strahlenforschung m.b.H., 8042 Neuherberg bei Muenchen, Institut fur Strahlenschutz, Ingolstadter Landstrasse 1, Muenchen, Germany (1)

FOREIGN (continued)

Joachim Emde, Oberst und Leiter Spezialstab ATV, ABC- und Selbstschuttschule, 8972 Sonthofen 2 (Allgau),
Berghoferstrasse 17, West Germany (1)

Abteilung fur Strahlenbiologie im Institut fur Biophysik der Universitat Bonn, 53 Bonn-Venusberg, Annaberger
Weg 15, Federal Republic of Germany (2)

Dr. G. E. Adams, Research Unit in Radiobiology, Mount Vernon Hospital, Northwood, Middlesex, England (1)

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Armed Forces Radiobiology Research Institute Defense Atomic Support Agency Bethesda, Maryland 20014		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b. GROUP N/A	
3. REPORT TITLE NUCLEAR REACTOR PULSE ANALYSIS, AN APPLICATION OF A REAL-TIME COMPILER			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (Last name, first name, initial) Gitelman, J. J. and Garrett, C. W.			
6. REPORT DATE December 1967		7a. TOTAL NO. OF PAGES 20	7b. NO. OF REFS 5
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S) AFRRI TN67-5	
b. PROJECT NO.			
c. R MD 4 908		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. AVAILABILITY/LIMITATION NOTICES Distribution of this document is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Defense Atomic Support Agency Washington, D. C. 20305	
13. ABSTRACT The use and advantages of a Real-Time FORTRAN (RTF) Compiler are illustrated by describing the collection and processing of data acquired from a TRIGA nuclear reactor on the Armed Forces Radiobiology Research Institute Data Acquisition System. The system computes the reactor period and reactivity as a function of time from data acquired on-line during a reactor pulse. The hardware components of the system, comprised of an SDS 920 digital computer and special-purpose interface equipment, are described, as is the software package which makes use of an RTF Compiler. The illustration shows how the flexibility and programming simplicity of a problem-oriented compiler language in a real-time environment enables the implementation of an on-line data acquisition system operation with less effort and in less time than that required when a standard symbolic assembly language is used.			

DD FORM 1 JAN 64 1473

UNCLASSIFIED

Security Classification

UNCLASSIFIED
Security Classification

14.	KEY WORDS	LINK A		LINK B		LINK C	
		ROLE	WT	ROLE	WT	ROLE	WT

INSTRUCTIONS

1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. NUMBER OF REFERENCES: Enter the total number of references cited in the report.

8a. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. ORIGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. SUPPLEMENTARY NOTES: Use for additional explanatory notes.

12. SPONSORING MILITARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. ABSTRACT: Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.